	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	4	skin same kit and (e6 or e7) and hpv and reaction	USPAT	2001/01/25 08:53

WEST

Help | Logout | Interrupt

Main Menu | Search Form | Posting Counts | Show S Numbers | Edit S Numbers | Preferences

Search Results -

Terms	Documents
skin same kit and (e6 or e7) and reaction and hpv	4

Database: US Patents Full-Text Database; JPO Abstracts Database; EPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Refine Search: `skin same kit and (e6 or e7) and reaction and hpv` Clear

Search History

Today's Date: 1/25/2001

DB Name	Query	Hit Count	Set Name
USPT,JPAB,EPAB,DWPI,TDBD	skin same kit and (e6 or e7) and reaction and hpv	4	L4
USPT,JPAB,EPAB,DWPI,TDBD	skin and kit and (e6 or e7) and reaction and hpv	96	L3
USPT,JPAB,EPAB,DWPI,TDBD	skin and kit and (e6 or e7) and reaction	209	L2
USPT,JPAB,EPAB,DWPI,TDBD	skin same kit same (e6 or e7) same reaction	1	L1

Terms	Documents
skin same kit and (e6 or e7) and reaction and hpv	4

Display 20 Documents, starting with Document: 4

Display Format: TI Change Format

21: Ghosh AK, Smith NK, Stacey SN, Glew SS, Connor ME, Arrand JR, Stern PL. Related

Serological response to HPV 16 in cervical dysplasia and neoplasia: correl of antibodies to E6 with cervical cancer.
Int J Cancer. 1993 Feb 20;53(4):591-6.
PMID: 8382193; UI: 93170933

22: Kashiwabara K, Nakajima T. Related

Detection of human papillomavirus DNA in invasive cervical cancers by th polymerase chain reaction and its clinical significance.
Acta Pathol Jpn. 1992 Dec;42(12):876-83.
PMID: 1337817; UI: 93175190

23: Stacey SN, Bartholomew JS, Ghosh A, Stern PL, Mackett M, Arrand JR. Related

Expression of human papillomavirus type 16 E6 protein by recombinant baculovirus and use for detection of anti-E6 antibodies in human sera.
J Gen Virol. 1992 Sep;73 (Pt 9):2337-45.
PMID: 1328490; UI: 93019057

24: Halbert CL, Demers GW, Galloway DA. Related

The E6 and E7 genes of human papillomavirus type 6 have weak immortal activity in human epithelial cells.
J Virol. 1992 Apr;66(4):2125-34.
PMID: 1312623; UI: 92194447

25: Doorbar J, Ely S, Coleman N, Hibma M, Davies DH, Crawford L. Related

Epitope-mapped monoclonal antibodies against the HPV16E1--E4 protein
Virology. 1992 Mar;187(1):353-9.
PMID: 1371027; UI: 92142526

26: Mitrani-Rosenbaum S, Tsvieli R. Related

Differential cooperation of a carcinogen with human papillomavirus type 6 16 DNAs in in vitro oncogenic transformation.
Intervirology. 1992;33(2):76-85.
PMID: 1314784; UI: 92234711

27: Suchankova A, Ritterova L, Krcmar M, Krchnak V, Vagner J, Jochmus I, Gissmann L, Kanka J, Vonka V. Related

Comparison of ELISA and western blotting for human papillomavirus type

PubMed Services

Related Resources

1: Chow VT, Loh E, Yeo WM, Tan SY, Chan R. Related

Identification of multiple genital HPV types and sequence variants by cons and nested type-specific PCR coupled with cycle sequencing.

Pathology. 2000 Aug;32(3):204-8.

[MEDLINE record in process]

PMID: 10968397; UI: 20421607

2: Sasagawa T, Minemoto Y, Basha W, Yamazaki H, Nakamura M, Yoshimoto H, Related Sakaike J, Inoue M.

A new PCR-based assay amplifies the E6-E7 genes of most mucosal huma papillomaviruses (HPV).

Virus Res. 2000 Apr;67(2):127-39.

PMID: 10867192; UI: 20327988

3: Madeleine MM, Shera K, Schwartz SM, Daling JR, Galloway DA, Wipf GC, Related Carter JJ, McKnight B, McDougall JK.

The p53 Arg72Pro polymorphism, human papillomavirus, and invasive squ cell cervical cancer.

Cancer Epidemiol Biomarkers Prev. 2000 Feb;9(2):225-7.

PMID: 10698487; UI: 20162313

4: Schwalbach G, Sibler AP, Choulier L, Deryckere F, Weiss E. Related

Production of fluorescent single-chain antibody fragments in Escherichia c

Protein Expr Purif. 2000 Mar;18(2):121-32.

PMID: 10686142; UI: 20153314

5: Pillai MR, Phanidhara A, Kesari AL, Nair P, Nair MK. Related

Cellular manifestations of human papillomavirus infection in the oral muco

J Surg Oncol. 1999 May;71(1):10-5.

PMID: 10362085; UI: 99288931

6: Agarwal SK, Chatterji A, Bhambhani S, Sharma BK. Related

Immunohistochemical co-expression of human papillomavirus type 16/18 transforming (E6) oncoprotein and p53 tumour suppressor gene proteins i oesophageal cancer.

Indian J Exp Biol. 1998 Jun;36(6):559-63.

PMID: 9731468; UI: 98401655

7: Park JS, Park DC, Kim CJ, Ahn HK, Um SJ, Park SN, Kim SJ, Namkoong SE. Related

HPV-16-related proteins as the serologic markers in cervical neoplasia.
Gynecol Oncol. 1998 Apr;69(1):47-55.
PMID: 9570998; UI: 98240895

☐ **8**: He D, Tsao SW, Bu H. Related

[Human papillomavirus infection and esophageal squamous cell carcinoma
Chung Hua Ping Li Hsueh Tsa Chih. 1996 Dec;25(6):351-4. Chinese.
PMID: 9388862; UI: 98050245

☐ **9**: Adler K, Erickson T, Bobrow M. Related

High sensitivity detection of HPV-16 in SiHa and CaSki cells utilizing FIS enhanced by TSA.
Histochem Cell Biol. 1997 Oct-Nov;108(4-5):321-4.
PMID: 9387924; UI: 98047117

☐ **10**: Ruesch MN, Laimins LA. Related

Initiation of DNA synthesis by human papillomavirus E7 oncoproteins is r to p21-mediated inhibition of cyclin E-cdk2 activity.
J Virol. 1997 Jul;71(7):5570-8.
PMID: 9188631; UI: 97332397

☐ **11**: Lappalainen K, Pirila L, Jaaskelainen I, Syrjanen K, Syrjanen S. Related

Effects of liposomal antisense oligonucleotides on mRNA and protein leve the HPV 16 E7 oncogene.
Anticancer Res. 1996 Sep-Oct;16(5A):2485-92.
PMID: 8917339; UI: 97074912

☐ **12**: Bagot M, Charue D, Cerni C, Revuz J, Meneguzzi G. Related

Induction of rat CD4+ proliferative and mouse CD8+ cytotoxic T-cell line specific for human papillomavirus type 16 antigens.
Res Virol. 1996 Sep-Oct;147(5):301-11.
PMID: 8880999; UI: 97035343

☐ **13**: Cavuslu S, Mant C, Starkey WG, Bible JM, Biswas C, Kell B, Rice P, Best JM, Cason J. Related

Analytic sensitivities of hybrid-capture, consensus and type-specific polym chain reactions for the detection of human papillomavirus type 16 DNA.
J Med Virol. 1996 Aug;49(4):319-24.
PMID: 8877765; UI: 97031859

☐ **14**: Cavuslu S, Starkey WG, Kaye JN, Biswas C, Mant C, Kell B, Rice P, Best JM, Cason J. Related

Detection of human papillomavirus type-16 DNA utilising microtitre-plate amplification reactions and a solid-phase enzyme-immunoassay detection s
J Virol Methods. 1996 Apr 26;58(1-2):59-69.
PMID: 8783151; UI: 96377304

☐ **15**: Fujii T, Tsukazaki K, Kiguchi K, Kubushiro K, Yajima M, Nozawa S. Related

The major E6/E7 transcript of HPV-16 in exfoliated cells from cervical ne patients.
Gynecol Oncol. 1995 Aug;58(2):210-5.

PMID: 7622108; UI: 95347660

☐ **16**: Stoian M, Anton G, Achim R, Repanovici R. Related

Presence of papillomavirus infections in genital lesions of women in Roma
Rom J Virol. 1995 Jan-Jun;46(1-2):43-50.
PMID: 9106400; UI: 97254935

☐ **17**: Monk BJ, Cook N, Ahn C, Vasilev SA, Berman ML, Wilczynski SP. Related

Comparison of the polymerase chain reaction and Southern blot analysis ir detecting and typing human papilloma virus deoxyribonucleic acid in tumo the lower female genital tract.
Diagn Mol Pathol. 1994 Dec;3(4):283-91.
PMID: 7866640; UI: 95171000

☐ **18**: Sun Y, Shah KV, Muller M, Munoz N, Bosch XF, Viscidi RP. Related

Comparison of peptide enzyme-linked immunosorbent assay and radioimmunoprecipitation assay with in vitro-translated proteins for detect serum antibodies to human papillomavirus type 16 E6 and E7 proteins.
J Clin Microbiol. 1994 Sep;32(9):2216-20.
PMID: 7529250; UI: 95114033

☐ **19**: Viscidi RP, Sun Y, Tsuzaki B, Bosch FX, Munoz N, Shah KV. Related

Serologic response in human papillomavirus-associated invasive cervical c
Int J Cancer. 1993 Nov 11;55(5):780-4.
PMID: 8244575; UI: 94064167

☐ **20**: Stacey SN, Ghosh A, Bartholomew JS, Tindle RW, Stern PL, Mackett M, Arrand JR. Related

Expression of human papillomavirus type 16 E7 protein by recombinant baculovirus and use for the detection of E7 antibodies in sera from cervica carcinoma patients.
J Med Virol. 1993 May;40(1):14-21.
PMID: 7685808; UI: 93294546

Display Summary Save Text Order Details Add to Clipboa

Show: 20 Items 1-20 of 28 Page 1 of 2 Select pag

E7 antibody determination.
J Gen Virol. 1991 Oct;72 (Pt 10):2577-81.
PMID: 1655964; UI: 92013981

☐ **28**: Bleul C, Muller M, Frank R, Gausepohl H, Koldovsky U, Mgaya HN, Luande J, Pawlita M, ter Meulen J, Viscidi R, et al. Related

Human papillomavirus type 18 E6 and E7 antibodies in human sera: increa anti-E7 prevalence in cervical cancer patients.
J Clin Microbiol. 1991 Aug;29(8):1579-88.
PMID: 1722219; UI: 92105325

Display Summary Save Text Order Details Add to Clipboa
Show: 20 Items 21-28 of 28 Page 2 of 2 Select pag